

1 Flippin' Coins

Suppose we have an unbiased coin, with outcomes H and T , with probability of heads $\mathbb{P}[H] = 1/2$ and probability of tails also $\mathbb{P}[T] = 1/2$. Suppose we perform an experiment in which we toss the coin 3 times. An outcome of this experiment is (X_1, X_2, X_3) , where $X_i \in \{H, T\}$.

(a) What is the *sample space* for our experiment?

(b) Which of the following are examples of *events*? Select all that apply.

- $\{(H, H, T), (H, H), (T)\}$
- $\{(T, H, H), (H, T, H), (H, H, T), (H, H, H)\}$
- $\{(T, T, T)\}$
- $\{(T, T, T), (H, H, H)\}$
- $\{(T, H, T), (H, H, T)\}$

(c) What is the complement of the event $\{(H, H, H), (H, H, T), (H, T, H), (H, T, T), (T, T, T)\}$?

(d) Let A be the event that our outcome has 0 heads. Let B be the event that our outcome has exactly 2 heads. What is $A \cup B$?

(e) What is the probability of the outcome (H, H, T) ?

(f) What is the probability of the event that our outcome has exactly two heads?

- (g) What is the probability of the event that our outcome has at least one head?

2 Parking Lots

Some of the CS 70 staff members founded a start-up company, and you just got hired. The company has twelve employees (including yourself), each of whom drive a car to work, and twelve parking spaces arranged in a row. You may assume that each day all orderings of the twelve cars are equally likely.

- (a) On any given day, what is the probability that you park next to Professor Rao, who is working there for the summer?
- (b) What is the probability that there are exactly three cars between yours and Professor Rao's?
- (c) Suppose that, on some given day, you park in a space that is not at one of the ends of the row. As you leave your office, you know that exactly five of your colleagues have left work before you. Assuming that you remember nothing about where these colleagues had parked, what is the probability that you will find both spaces on either side of your car unoccupied?

3 Sampling

Suppose you have balls numbered $1, \dots, n$, where n is a positive integer ≥ 2 , inside a coffee mug. You pick a ball uniformly at random, look at the number on the ball, replace the ball back into the coffee mug, and pick another ball uniformly at random.

- (a) What is the probability that the first ball is 1 and the second ball is 2?

- (b) What is the probability that the second ball's number is strictly less than the first ball's number?
- (c) What is the probability that the second ball's number is exactly one greater than the first ball's number?
- (d) Now, assume that after you looked at the first ball, you did *not* replace the ball in the coffee mug (instead, you threw the ball away), and then you drew a second ball as before. Now, what are the answers to the previous parts?